



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/527,873	07/19/2005	Gabriele Cruciani	P-2564	2043
2120	7590	06/30/2006	EXAMINER	
PAUL A. FATTIBENE FATTIBENE & FATTIBENE 2480 POST ROAD SOUTHPORT, CT 06890			RADA, ALEX P	
			ART UNIT	PAPER NUMBER
			3712	

DATE MAILED: 06/30/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

e

**Office Action Summary**

Application No.

10/527,873

Applicant(s)

CRUCIANI, GABRIELE

Examiner

Alex P. Rada

Art Unit

3712

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 19 July 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-14 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-14 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Drawings***

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the elements of claims 2 and 5 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Specification***

2. The disclosure is objected to because of the following informalities: The disclosure is not in the preferred layout for the specification of a utility application. The guidelines suggested below

Art Unit: 3712

under the heading **Arrangement of the Specification** and **Content of Specification**. Appropriate correction is required.

### **Arrangement of the Specification**

As provided in 37 CFR 1.77(b), the specification of a utility application should include the following sections in order. Each of the lettered items should appear in upper case, without underlining or bold type, as a section heading. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- (a) TITLE OF THE INVENTION.
- (b) CROSS-REFERENCE TO RELATED APPLICATIONS.
- (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
- (d) THE NAMES OF THE PARTIES TO A JOINT RESEARCH AGREEMENT
- (e) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC (See 37 CFR 1.52(e)(5) and MPEP 608.05. Computer program listings (37 CFR 1.96(c)), "Sequence Listings" (37 CFR 1.821(c)), and tables having more than 50 pages of text are permitted to be submitted on compact discs.) or REFERENCE TO A "MICROFICHE APPENDIX" (See MPEP § 608.05(a). "Microfiche Appendices" were accepted by the Office until March 1, 2001.)
- (f) BACKGROUND OF THE INVENTION.
  - (1) Field of the Invention.
  - (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (g) BRIEF SUMMARY OF THE INVENTION.
- (h) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).
- (i) DETAILED DESCRIPTION OF THE INVENTION.
- (j) CLAIM OR CLAIMS (commencing on a separate sheet).
- (k) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).
- (l) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if the required "Sequence Listing" is not submitted as an electronic document on compact disc).

### **Content of Specification**

- (a) Title of the Invention: See 37 CFR 1.72(a) and MPEP § 606. The title of the invention should be placed at the top of the first page of the specification unless the title is provided in an application data sheet. The title of the invention should be brief but technically accurate and descriptive, preferably from two to seven words may not contain more than 500 characters.

Art Unit: 3712

- (b) Cross-References to Related Applications: See 37 CFR 1.78 and MPEP § 201.11.
- (c) Statement Regarding Federally Sponsored Research and Development: See MPEP § 310.
- (d) The Names Of The Parties To A Joint Research Agreement: See 37 CFR 1.71(g).
- (e) Incorporation-By-Reference Of Material Submitted On a Compact Disc: The specification is required to include an incorporation-by-reference of electronic documents that are to become part of the permanent United States Patent and Trademark Office records in the file of a patent application. See 37 CFR 1.52(e) and MPEP § 608.05. Computer program listings (37 CFR 1.96(c)), "Sequence Listings" (37 CFR 1.821(c)), and tables having more than 50 pages of text were permitted as electronic documents on compact discs beginning on September 8, 2000.

Or alternatively, Reference to a "Microfiche Appendix": See MPEP § 608.05(a). "Microfiche Appendices" were accepted by the Office until March 1, 2001.

- (f) Background of the Invention: See MPEP § 608.01(c). The specification should set forth the Background of the Invention in two parts:
  - (1) Field of the Invention: A statement of the field of art to which the invention pertains. This statement may include a paraphrasing of the applicable U.S. patent classification definitions of the subject matter of the claimed invention. This item may also be titled "Technical Field."
  - (2) Description of the Related Art including information disclosed under 37 CFR 1.97 and 37 CFR 1.98: A description of the related art known to the applicant and including, if applicable, references to specific related art and problems involved in the prior art which are solved by the applicant's invention. This item may also be titled "Background Art."
- (g) Brief Summary of the Invention: See MPEP § 608.01(d). A brief summary or general statement of the invention as set forth in 37 CFR 1.73. The summary is separate and distinct from the abstract and is directed toward the invention rather than the disclosure as a whole. The summary may point out the advantages of the invention or how it solves problems previously existent in the prior art (and preferably indicated in the Background of the Invention). In chemical cases it should point out in general terms the utility of the invention. If possible, the nature and gist of the invention or the inventive concept should be set forth. Objects of the invention should be treated briefly and only to the extent that they contribute to an understanding of the invention.
- (h) Brief Description of the Several Views of the Drawing(s): See MPEP § 608.01(f). A reference to and brief description of the drawing(s) as set forth in 37 CFR 1.74.

Art Unit: 3712

- (i) Detailed Description of the Invention: See MPEP § 608.01(g). A description of the preferred embodiment(s) of the invention as required in 37 CFR 1.71. The description should be as short and specific as is necessary to describe the invention adequately and accurately. Where elements or groups of elements, compounds, and processes, which are conventional and generally widely known in the field of the invention described and their exact nature or type is not necessary for an understanding and use of the invention by a person skilled in the art, they should not be described in detail. However, where particularly complicated subject matter is involved or where the elements, compounds, or processes may not be commonly or widely known in the field, the specification should refer to another patent or readily available publication which adequately describes the subject matter.
- (j) Claim or Claims: See 37 CFR 1.75 and MPEP § 608.01(m). The claim or claims must commence on separate sheet or electronic page (37 CFR 1.52(b)(3)). Where a claim sets forth a plurality of elements or steps, each element or step of the claim should be separated by a line indentation. There may be plural indentations to further segregate subcombinations or related steps. See 37 CFR 1.75 and MPEP § 608.01(i)-(p).
- (k) Abstract of the Disclosure: See MPEP § 608.01(f). A brief narrative of the disclosure as a whole in a single paragraph of 150 words or less commencing on a separate sheet following the claims. In an international application which has entered the national stage (37 CFR 1.491(b)), the applicant need not submit an abstract commencing on a separate sheet if an abstract was published with the international application under PCT Article 21. The abstract that appears on the cover page of the pamphlet published by the International Bureau (IB) of the World Intellectual Property Organization (WIPO) is the abstract that will be used by the USPTO. See MPEP § 1893.03(e).
- (l) Sequence Listing. See 37 CFR 1.821-1.825 and MPEP §§ 2421-2431. The requirement for a sequence listing applies to all sequences disclosed in a given application, whether the sequences are claimed or not. See MPEP § 2421.02.

### ***Claim Rejections - 35 USC § 102***

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 3712

4. Claims 1-9 are rejected under 35 U.S.C. 102(b) as being anticipated by Shishido (US 4,577,865).

5. Shishido discloses the following:

A bladder (25), an external covering enclosing the bladder (28), and a sensor (4), at least a portion of which is integrated into the bladder (figure 4) as recited in claim 1.

The portion of the sensor comprises a plurality of individual sensor elements (items 23 and 32 of figure 4) as recited in claim 2.

Supporting means for supporting at least the portion of the sensor, wherein the valve rubber in col. 4, lines 27-28 to the supporting means for supporting at least the portion of the sensor (figure 4) as recited in claim 3.

An electronic sensor located within the external covering, wherein the contact 23 meet 32 to the electronic sensor located within the external covering (figure 4) as recited in claim 4.

The sensor comprises a plurality of sensor elements in an inner space enclosed by the bladder (figure 4) as recited in claim 5.

One of the plurality of sensor elements is accommodated by a pocket fixed to an inner surface of the bladder, wherein the contact points 23 and 32 meet from the circuit (3) inserted into the casing (29) to be one of the plurality of sensor elements being accommodated by a pocket fixed to an inner surface of the bladder (figure 4) as recited in claim 6.

One of the plurality of sensor elements is accommodated by a pocket formed by a portion of the bladder, wherein the circuit (3) inserted into the

Art Unit: 3712

casing (29) to be one of the plurality of sensor elements is accommodated by a pocket formed by a portion of the bladder (figure 4) as recited in claim 7.

One of the plurality of sensor elements is positioned in the inner space by a filling material (items 26 and 27 of figure 4) as recited in claim 8.

The sensor is configured to be responsive to pressure and/or infrared radiation and/or to a metal detector (item 4 of figure 4) as recited in claim 9.

6. Claims 10-14 are rejected under 35 U.S.C. 102(b) as being anticipated by Marinelli (US 6,148,271).

7. Marinelli discloses the following:

A transceiver configured to detect an electronically detectable ball, wherein the monitor unit (108) being communicated to by object unit (100) to be the transceiver configured to detect an electronically detectable ball (summary and figure 1), and a support structure configured to support the transceiver at a predefined area of a game field, wherein the monitor unit (108) structured similar to a wristwatch, stopwatch, or a pocket sized calculator to be held by the user to a support structure configured to support the transceiver at a predefined area of a game field (figure 1 and col. 3, lines 10-16) as recited in claim 10.

The transceiver is configured to detect the electronically detectable ball with a spatial resolution that is equal to or less than a diameter of the electronically detectable ball, wherein the object unit (100) capable of being embedded, secured, or attached in the center of a substantially solid or



deformable movable object, such as a baseball, soccer football, tennis, etc. to be transceiver is configured to detect the electronically detectable ball with a spatial resolution that is equal to or less than a diameter of the electronically detectable ball as recited in claim 11.

An indicator means configured to indicate, when the electronically detectable ball is within a specified region of the predefined area, wherein the embodiment of the monitor unit (108) of figure 2 displaying a plurality of parameters to be the indicator means configured to indicate, when the electronically detectable ball is within a specified region of the predefined area (figure 2 with corresponding description) as recited in claim 12.

The indicator means comprises a mobile display means configured to wirelessly communicate with the indicator means (col. 3, lines 10-16) as recited in claim 13.

The electronically detectable ball comprises: a bladder, an external covering enclosing the bladder, and a sensor, at least a portion of which is integrated into the bladder, wherein the object unit being embedded into a deformable moveable object such as a football or soccer ball, the object unit being suspended in the center of the deformable moveable object using strings or fabric webbing to be the electronically detectable ball comprises: a bladder, an external covering enclosing the bladder, and a sensor, at least a portion of which is integrated into the bladder (col. 8, lines 32-42) as recited in claim 14.

Art Unit: 3712

***Conclusion***

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Booth et al. (US 5,615,880), Crawford (US 5,748,073), Gerson et al. (US 6,837,495), Koelzer, Jr. et al. (US 6,551,205) and Ravet (US Pub. 2005/0270156) discloses different types of electronic goal detection systems.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alex P. Rada whose telephone number is 571-272-4452. The examiner can normally be reached on Monday - Friday, 08:00-16:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Hotaling can be reached on 571-272-4437. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

APR

**JOHN M. HOTALING, II**  
**PRIMARY EXAMINER**

